









































<https://doi.org/10.1044/cicsd.25.S.8>

Langevin, M., Huinck, W. J., Kully, D., Peters, H. F., Lomheim, H., & Tellers, M. (2006). A cross-cultural, long-term outcome evaluation of the ISTAR comprehensive stuttering program across Dutch and Canadian adults who stutter. *Journal of Fluency Disorders*, 31 (4), 229–256. <https://doi.org/10.1016/j.jfludis.2006.06.001>

Langevin, M., Kully, D., Teshima, S., Hagler, P., & Prasad, N. N. (2010). Five-year longitudinal treatment outcomes of the ISTAR comprehensive stuttering program. *Journal of Fluency Disorders*, 35 (2), 123–140. <https://doi.org/10.1016/j.jfludis.2010.04.002>

Lattermann, C., Euler, H. A., & Neumann, K. (2008). A randomized control trial to investigate the impact of the Lidcombe program on early stuttering in German-speaking preschoolers. *Journal of fluency disorders*, 33 (1), 52–65. <https://doi.org/10.1016/j.jfludis.2007.12.002>

Law, T., Packman, A., Onslow, M., To, C. K.-S., Tong, M. C.-F., & Lee, K. Y.-S. (2018). Rhythmic speech and stuttering reduction in a syllable-timed language. *Clinical linguistics & phonetics*, 32 (10), 932–949. <https://doi.org/10.1080/02699206.2018.1480655>

Liddle, H., James, S., & Hardman, M. (2011). Group therapy for school-aged children who stutter: A survey of current practices. *Journal of fluency disorders*, 36 (4), 274–279. <https://doi.org/10.1016/j.jfludis.2011.02.004>

Lincoln, M., & Bricker-Katz, G. (2008). Self-disclosure of stuttering at the beginning of interactions may improve listeners' perceptions of people who stutter. *Evidence-Based Communication Assessment and Intervention*, 2 (2), 87–89. <https://doi.org/10.1080/17489530802088161>

Lincoln, M., Packman, A., & Onslow, M. (2006). Altered auditory feedback and the treatment of stuttering: A review. *Journal of Fluency Disorders*, 31 (2), 71–89. <https://doi.org/10.1016/j.jfludis.2006.04.001>

Lincoln, M., Packman, A., Onslow, M., & Jones, M. (2010). An experimental investigation of the effect of altered auditory feedback on the conversational speech of adults who stutter. *Journal of Speech, Language, and Hearing Research*. [https://doi.org/10.1044/1092-4388\(2009/07-0266\)](https://doi.org/10.1044/1092-4388(2009/07-0266))

Linn, G. W., & Caruso, A. J. (1998). Perspectives on the effects of stuttering on the formation and maintenance of intimate relationships. *Journal of Rehabilitation*, 64 (3), 12.

Manning, W. H. (1999). Progress under the surface and over time. *Stuttering research and practice: Bridging the gap*, 123–130.

Martin, R., & Berndt, L. A. (1970). The effects of time-out on stuttering in a 12 year old boy. *Exceptional Children*, 37 (4), 303–304. <https://doi.org/10.1177/001440297003700410>

Martin, R. R., Kuhl, P., & Haroldson, S. (1972). An experimental treatment with two preschool stuttering children. *Journal of Speech and Hearing Research*, 15 (4), 743–752. <https://doi.org/10.1044/jshr.1504.743>

Matthews, D., & Blomgren, M. (2016). Modifying phonation intervals (MPI) stuttering therapy compared to standard prolonged speech treatment. *Evidence-Based Communication Assessment and Intervention*, 10 (1), 25–31. <https://doi.org/10.1080/17489539.2016.1165336>

McCulloch, J., Swift, M. C., & Wagnitz, B. (2017). Case file audit of Lidcombe program outcomes in a student-led stuttering clinic. *International journal of speech-language pathology*, 19 (2), 165–173.

<https://doi.org/10.3109/17549507.2016.1159336>

McGill, M., Noureal, N., & Siegel, J. (2019). Telepractice treatment of stuttering: A systematic review.

*Telemedicine and e-Health*, 25 (5), 359–368. <https://doi.org/10.1089/tmj.2017.0319>

McGill, M., Siegel, J., Nguyen, D., & Rodriguez, S. (2018). Self-report of self-disclosure statements for stuttering.

*Journal of fluency disorders*, 58, 22–34. <https://doi.org/10.1016/j.jfludis.2018.09.004>

Menzies, R., O’Brian, S., Lowe, R., Packman, A., & Onslow, M. (2016). International phase ii clinical trial of CBTpsych: A standalone internet social anxiety treatment for adults who stutter. *Journal of Fluency Disorders*, 48,

35–43. <https://doi.org/10.1016/j.jfludis.2016.06.002>

Menzies, R., O’Brian, S., Packman, A., Jones, M., Helgadóttir, F. D., & Onslow, M. (2019). Supplementing stuttering treatment with online cognitive behavior therapy: An experimental trial. *Journal of Communication Disorders*, 80, 81–91.

<https://doi.org/10.1016/j.jcomdis.2019.04.003>

Menzies, R. G., O’Brian, S., Onslow, M., Packman, A., St Clare, T., & Block, S. (2008). An experimental clinical trial of a cognitive-behavior therapy package for chronic stuttering. *Journal of Speech, Language, and Hearing Research*.

[https://doi.org/10.1044/1092-4388\(2008/07-0070\)](https://doi.org/10.1044/1092-4388(2008/07-0070))

Menzies, R. G., Onslow, M., & Packman, A. (1999). Anxiety and stuttering: Exploring a complex relationship.

*American Journal of Speech-Language Pathology*, 8 (1), 3–10. <https://doi.org/10.1044/1058-0360.0801.03>

Menzies, R. G., Packman, A., Onslow, M., O’Brian, S., Jones, M., & Helgadóttir, F. D. (2019). In-clinic and standalone internet cognitive behavior therapy treatment for social anxiety in stuttering: A randomized trial of iGlebe. *Journal of Speech, Language, and Hearing Research*, 62 (6), 1614–1624.

[https://doi.org/10.1044/2019\\_JSLHR-S-18-0340](https://doi.org/10.1044/2019_JSLHR-S-18-0340)

Metten, C., Bosshardt, H.-G., Jones, M., Eisenhuth, J., Block, S., Carey, B., O’Brian, S., Packman, A., Onslow, M., & Menzies, R. (2011). Dual tasking and stuttering: From the laboratory to the clinic. *Disability and Rehabilitation*,

33 (11), 933–944. <https://doi.org/10.3109/09638288.2010.515701>

Millard, S. K., Nicholas, A., & Cook, F. M. (2008). Is parent–child interaction therapy effective in reducing stuttering?

*Journal of Speech, Language, and Hearing Research*. [https://doi.org/10.1044/1092-4388\(2008/046\)](https://doi.org/10.1044/1092-4388(2008/046))

Millard, S. K., Zebrowski, P., & Kelman, E. (2018). Palin parent–child interaction therapy: The bigger picture.

*American journal of speech-language pathology*, 27 (3S), 1211–1223. [https://doi.org/10.1044/2018\\_AJSLP-ODC11-17-0199](https://doi.org/10.1044/2018_AJSLP-ODC11-17-0199)

Miller, B., & Guitar, B. (2009). Long-term outcome of the Lidcombe program for early stuttering intervention.

*American Journal of Speech-Language Pathology*. [https://doi.org/10.1044/1058-0360\(2008/06-0069\)](https://doi.org/10.1044/1058-0360(2008/06-0069))

Moise-Richard, A., Ménard, L., Bouchard, S., & Leclercq, A.-L. (2021). Real and virtual classrooms can trigger the

- same levels of stuttering severity ratings and anxiety in school-age children and adolescents who stutter. *Journal of Fluency Disorders*, 68, 105830. <https://doi.org/10.1016/j.jfludis.2021.105830>
- Nejati, V., Pouretamad, H. R., & Bahrami, H. (2013). Attention training in rehabilitation of children with developmental stuttering. *NeuroRehabilitation*, 32 (2), 297–303. <https://doi.org/10.3233/NRE-130847>
- Neumann, K., Euler, H. A., von Gudenberg, A. W., Giraud, A.-L., Lanfermann, H., Gall, V., & Preibisch, C. (2003). The nature and treatment of stuttering as revealed by fMRI: A within-and between-group comparison. *Journal of fluency disorders*, 28 (4), 381–410. <https://doi.org/10.1016/j.jfludis.2003.07.003>
- Neumann, K., Preibisch, C., Euler, H. A., Von Gudenberg, A. W., Lanfermann, H., Gall, V., & Giraud, A.-L. (2005). Cortical plasticity associated with stuttering therapy. *Journal of fluency disorders*, 30 (1), 23–39. <https://doi.org/10.1016/j.jfludis.2004.12.002>
- Nippold, M. A. (2018). Stuttering in preschool children: Direct versus indirect treatment. *Language, speech, and hearing services in schools*, 49 (1), 4–12. [https://doi.org/10.1044/2017\\_LSHSS-17-0066](https://doi.org/10.1044/2017_LSHSS-17-0066)
- Nittrouer, S., & Cheney, C. (1984). Operant techniques used in stuttering therapy: A review. *Journal of Fluency Disorders*, 9 (3), 169–190. [https://doi.org/10.1016/0094-730X\(84\)90011-1](https://doi.org/10.1016/0094-730X(84)90011-1)
- Nye, C., Vanryckeghem, M., Schwartz, J. B., Herder, C., TurnerIII, H. M., & Howard, C. (2013). Behavioral stuttering interventions for children and adolescents: A systematic review and meta-analysis. *Journal of Speech, Language, and Hearing Research*. [https://doi.org/10.1044/1092-4388\(2012/12-0036\)](https://doi.org/10.1044/1092-4388(2012/12-0036))
- O’Brian, S., Onslow, M., Cream, A., & Packman, A. (2003). The Camperdown program: Outcomes of a new prolonged-speech treatment model. *Journal of speech, language, and hearing research*. [https://doi.org/10.1044/1092-4388\(2003/073\)](https://doi.org/10.1044/1092-4388(2003/073))
- O’Donnell, J. J., Armson, J., & Kiefte, M. (2008). The effectiveness of SpeechEasy during situations of daily living. *Journal of Fluency Disorders*, 33 (2), 99–119. <https://doi.org/10.1016/j.jfludis.2008.02.001>
- Onslow, M., Costa, L., & Rue, S. (1990). Direct early intervention with stuttering: Some preliminary data. *Journal of Speech and Hearing Disorders*, 55 (3), 405–416. <https://doi.org/10.1044/jshd.5503.405>
- Onslow, M., Menzies, R. G., & Packman, A. (2001). An operant intervention for early stuttering: The development of the Lidcombe program. *Behavior modification*, 25 (1), 116–139. <https://doi.org/10.1177/0145445501251007>
- Onslow, M., Packman, A., Stocker, S., Doorn, J. v., & Siegel, G. M. (1997). Control of children’s stuttering with response-contingent time-out: Behavioral, perceptual, and acoustic data. *Journal of Speech, Language, and Hearing Research*, 40 (1), 121–133. <https://doi.org/10.1044/jslhr.4001.121>
- Pereira, J., de Melo, M., Franco, N., Rodrigues, F., Coelho, A., & Fidalgo, R. (2019). Using assistive robotics for aphasia rehabilitation. *2019 Latin American Robotics Symposium (LARS), 2019 Brazilian Symposium on Robotics (SBR) and 2019 Workshop on Robotics in Education (WRE)*, 387–392. <https://doi.org/10.1109/LARS-SBR-WRE48964.2019.00074>

- Pollard, R. (2012). A preliminary report on outcomes of the American institute for stuttering intensive therapy program. *Perspectives on Fluency and Fluency Disorders*, 22 (1), 5–15.  
<https://doi.org/https://doi.org/10.1044/ffd22.1.5>
- Pollard, R., Ellis, J. B., Finan, D., & Ramig, P. R. (2009). Effects of the SpeechEasy on objective and perceived aspects of stuttering: A 6-month, phase i clinical trial in naturalistic environments. *Journal of Speech, Language, and Hearing Research*. [https://doi.org/10.1044/1092-4388\(2008/07-0204\)](https://doi.org/10.1044/1092-4388(2008/07-0204))
- Prasanna, V., & Perera, I. (2019). Speakup-a mobile application to train and overcome stuttering. *2019 19th International Conference on Advances in ICT for Emerging Regions (ICTer)*, 250, 1–8.  
<https://doi.org/10.1109/ICTer48817.2019.9023724>
- Prasse, J. E., & Kikano, G. E. (2008). Stuttering: An overview. *American family physician*, 77 (9), 1271–1276.
- Rami, M. K., Kalinowski, J., Rastatter, M. P., Holbert, D., & Allen, M. (2005). Choral reading with filtered speech: Effect on stuttering. *Perceptual and Motor Skills*, 100 (2), 421–431. <https://doi.org/10.2466/pms.100.2.421-431>
- Reed, C. G., & Godden, A. L. (1977). An experimental treatment using verbal punishment with two preschool stutterers. *Journal of Fluency Disorders*, 2 (3), 225–233. [https://doi.org/10.1016/0094-730X\(77\)90026-2](https://doi.org/10.1016/0094-730X(77)90026-2)
- Reed, P., & Howell, P. (2000). Suggestions for improving the long-term effects of treatments for stuttering: A review and synthesis of frequency-shifted feedback and operant techniques. *European journal of behavior analysis*, 1 (2), 89–106. <https://doi.org/10.1080/15021149.2000.11434158>
- Rifaie, N. A., Saber, A. S., El-Din, S. T. K., Sallam, Y. A., Algamal, A. M., et al. (2016). Efficacy of the Arabic modified fluency shaping program in the treatment of stuttering. *The Egyptian Journal of Otolaryngology*, 32 (4), 306. <https://doi.org/10.4103/1012-5574.192546>
- Riley, G. D., & Ingham, J. C. (2000). Acoustic duration changes associated with two types of treatment for children who stutter. *Journal of Speech, Language, and Hearing Research*, 43 (4), 965–978.  
<https://doi.org/10.1044/jslhr.4304.965>
- Ritto, A. P., Juste, F. S., Stuart, A., Kalinowski, J., & de Andrade, C. R. F. (2016). Randomized clinical trial: The use of SpeechEasy® in stuttering treatment. *International journal of language & communication disorders*, 51 (6), 769–774. <https://doi.org/10.1111/1460-6984.12237>
- Robles-Bykbaev, V. E., Lopez-Nores, M., Pazos-Arias, J. J., & Garcia-Duque, J. (2015, May). RAMSES: a robotic assistant and a mobile support environment for speech and language therapy. In *Fifth International Conference on the Innovative Computing Technology (INTECH 2015)* (pp. 1-4). IEEE.  
<https://doi.org/10.1109/INTECH.2015.7173473>
- Rousseau, I., Packman, A., Onslow, M., Dredge, R., & Harrison, E. (2002). Australian speech pathologists' use of the Lidcombe program of early stuttering intervention. *Acquiring Knowledge in Speech, Language and Hearing*, 4 (2), 67–71. Saltuklaroglu, T., Kalinowski, J., Robbins, M., Crawcour, S., & Bowers, A. (2009). Comparisons of stuttering frequency during and after speech initiation in unaltered feedback, altered auditory feedback and choral speech conditions. *International journal of language & communication disorders*, 44 (6),

1000–1017. <https://doi.org/10.1080/13682820802546951>

Shears, L. M., & Jensema, C. J. (1969). Social acceptability of anomalous persons. *Exceptional Children*, 36 (2), 91–96. <https://doi.org/10.1177/001440296903600204>

Shimaya, J., Yoshikawa, Y., Matsumoto, Y., Kumazaki, H., Ishiguro, H., Mimura, M., & Miyao, M. (2016). Advantages of indirect conversation via a desktop humanoid robot: Case study on daily life guidance for adolescents with autism spectrum disorders. *2016 25th IEEE international symposium on robot and human interactive communication (RO-MAN)*, 831–836. <https://doi.org/10.1109/ROMAN.2016.7745215>

Sidavi, A., & Fabus, R. (2010). A review of stuttering intervention approaches for preschool-age and elementary school-age children. *Contemporary issues in communication science and disorders*, 37 (Spring), 14–26. <https://doi.org/10.1044/cicsd.37.S.14>

Silverman, F. H., & Paynter, K. K. (1990). Impact of stuttering on perception of occupational competence. *Journal of Fluency Disorders*, 15 (2), 87–91. [https://doi.org/10.1016/0094-730X\(90\)90035-Q](https://doi.org/10.1016/0094-730X(90)90035-Q)

Silvera-Tawil, D., Bradford, D., & Roberts-Yates, C. (2018, August). Talk to me: The role of human-robot interaction in improving verbal communication skills in students with autism or intellectual disability. In *2018 27th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN)* (pp. 1-6). IEEE. <https://doi.org/10.1109/ROMAN.2018.8525698>

Stuart, A., & Kalinowski, J. (2004). The perception of speech naturalness of post-therapeutic and altered auditory feedback speech of adults with mild and severe stuttering. *Folia Phoniatica et Logopaedica*, 56 (6), 347–357. <https://doi.org/10.1159/000081082>

Swift, M. C., Jones, M., O'Brian, S., Onslow, M., Packman, A., & Menzies, R. (2016). Parent verbal contingencies during the Lidcombe program: Observations and statistical modeling of the treatment process. *Journal of fluency disorders*, 47, 13–26. <https://doi.org/10.1016/j.jfludis.2015.12.002>

Theys, C., Van Wieringen, A., & Luc, F. (2008). A clinician survey of speech and non-speech characteristics of neurogenic stuttering. *Journal of Fluency Disorders*, 33 (1), 1–23. <https://doi.org/10.1016/j.jfludis.2007.09.001>

Tomaiuoli, D., Castiglione, R., Del Gado, F., Falcone, P., Lucchini, E., Pasqua, E., & Grazia, M. (2006). The use of movie and spot dubbing in stuttering treatment. *Research, Treatment, and Self-help in Fluency Disorders: New Horizons. Proceedings of the International Fluency Association's 5th World Congress*, 130–135. Trajkovski, N., Andrews, C., Onslow, M., Packman, A., O'Brian, S., & Menzies, R. (2009).

Using syllable-timed speech to treat preschool children who stutter: A multiple baseline experiment. *Journal of fluency disorders*, 34 (1), 1–10. <https://doi.org/10.1016/j.jfludis.2009.01.001>

Trichon, M., & Tetnowski, J. (2011). Self-help conferences for people who stutter: A qualitative investigation. *Journal of Fluency Disorders*, 36 (4), 290–295. <https://doi.org/10.1016/j.jfludis.2011.06.001>

Tsiamtsiouris, J., & Krieger, K. (2010). The successful stuttering management program: A preliminary report on outcomes. *Perspectives on Fluency and Fluency Disorders*, 20 (1), 20–25. <https://doi.org/10.1044/ffd20.1.20>

- Unger, J. P., Glück, C. W., & Cholewa, J. (2012). Immediate effects of AAF devices on the characteristics of stuttering: A clinical analysis. *Journal of Fluency Disorders*, 37 (2), 122–134. <https://doi.org/10.1016/j.jfludis.2012.02.001>
- Unicomb, R., Hewat, S., Spencer, E., & Harrison, E. (2017). Evidence for the treatment of co-occurring stuttering and speech sound disorder: A clinical case series. *International Journal of Speech-Language Pathology*, 19 (3), 251–264. <https://doi.org/10.1080/17549507.2017.1293735>
- Van Borsel, J., Reunes, G., & Van den Bergh, N. (2003). Delayed auditory feedback in the treatment of stuttering: Clients as consumers. *International Journal of Language & Communication Disorders*, 38 (2), 119–129. <https://doi.org/10.1080/1368282021000042902>
- Venkatagiri, H. (2005). Recent advances in the treatment of stuttering: A theoretical perspective. *Journal of communication disorders*, 38 (5), 375–393. <https://doi.org/10.1016/j.jcomdis.2005.03.001>
- Vong, E., Wilson, L., & Lincoln, M. (2016). The Lidcombe program of early stuttering intervention for Malaysian families: Four case studies. *Journal of fluency disorders*, 49, 29–39. <https://doi.org/10.1016/j.jfludis.2016.07.003>
- Webber, M. J., Packman, A., & Onslow, M. (2004). Effects of self-modelling on stuttering. *International journal of language & communication disorders*, 39 (4), 509–522. <https://doi.org/10.1080/13682820310001644560>
- Woods, D. W., Twohig, M. P., Fuqua, R. W., & Hanley, J. M. (2000). Treatment of stuttering with regulated breathing: Strengths, limitations, and future directions. *Behavior therapy*, 31 (3), 547–568. [https://doi.org/10.1016/S0005-7894\(00\)80030-1](https://doi.org/10.1016/S0005-7894(00)80030-1)
- Yairi, E., Ambrose, N., & Grinager, N. (2005). Early childhood stuttering. Austin: Pro-ed. Yairi, E., & Ambrose, N. (2013). Epidemiology of stuttering: 21st century advances. *Journal of fluency disorders*, 38 (2), 66–87. <https://doi.org/10.1016/j.jfludis.2012.11.002>
- Yaruss, J. S. (2010). Assessing quality of life in stuttering treatment outcomes research. *Journal of fluency disorders*, 35 (3), 190–202. <https://doi.org/10.1016/j.jfludis.2010.05.010>
- Yaruss, J. S., Quesal, R. W., Reeves, L., Molt, L. F., Kluetz, B., Caruso, A. J., McClure, J. A., & Lewis, F. (2002). Speech treatment and support group experiences of people who participate in the national stuttering association. *Journal of Fluency Disorders*, 27 (2), 115–134. [https://doi.org/10.1016/S0094-730X\(02\)00114-6](https://doi.org/10.1016/S0094-730X(02)00114-6)
- Yuen, M.-C., Chu, S. Y., Wong, C. H., & Ng, K. F. (2021). Development and pilot test for stuttering self-monitoring solution using telehealth. *2021 International Conference on COMMunication Systems & NETworks (COMSNETS)*, 650–655.